

Tinuvin® 329

Revision date: 2014/12/05 Page: 1/11
Version: 2.0 (30261630/SDS GEN US/EN)

1. Identification

Product identifier used on the label

Tinuvin® 329

Recommended use of the chemical and restriction on use

Unsuitable for use: This material is not intended for use in products for which prolonged contact with mucous membranes, body fluids or abraded skin, or implantation within the human body, is specifically intended, unless the finished product has been tested in accordance with nationally and internationally applicable safety testing requirements. Because of the wide range of such potential uses, we are not able to recommend this material as safe and effective for such uses and assume no liability for such uses.

Recommended use*: additive for the plastics industry; stabilizer

Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Chemical family: light stabilizer

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Aquatic Chronic 4 Hazardous to the aquatic environment - chronic

Combustible Dust (1) Combustible Dust

^{*} The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Tinuvin® 329

Revision date: 2014/12/05 Page: 2/11 Version: 2.0 (30261630/SDS GEN US/EN)

Label elements

Signal Word: Warning

Hazard Statement:

May form combustible dust concentration in air.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary Statements (Prevention):

P273 Avoid release to the environment.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

Hazards not otherwise classified

The product is under certain conditions capable of dust explosion.

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Emergency overview

NOTICE:

May cause mechanical irritation to eyes, skin and respiratory system.

AVOID CREATING DUST.

Ensure adequate ventilation.

Wear safety glasses with side-shields.

Wear protective clothing.

Take precautionary measures against static discharges.

Wear a NIOSH-certified (or equivalent) particulate respirator.

Refer to MSDS Section 7 for Dust Explosion information.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u> <u>Content (W/W)</u> <u>Chemical name</u>

3147-75-9 <= 100.0 % Phenol, 2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-

tetramethylbutyl)-

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number Content (W/W) Chemical name

3147-75-9 <= 100.0 % Phenol, 2-(2H-benzotriazol-2-yl)-4-(1,1,3,3-

tetramethylbutyl)-

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

Tinuvin® 329

Revision date: 2014/12/05 Page: 3/11 Version: 2.0 (30261630/SDS GEN US/EN)

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

If on skin:

Wash thoroughly with soap and water.

If irritation develops, seek medical attention.

If in eves:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If irritation develops, seek medical attention.

If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Immediate medical attention required.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

dry powder, foam

Unsuitable extinguishing media for safety reasons:

carbon dioxide

Additional information:

Avoid whirling up the material/product because of the danger of dust explosion.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

Tinuvin® 329

Revision date: 2014/12/05 Page: 4/11
Version: 2.0 (30261630/SDS GEN US/EN)

Impact Sensitivity:

Number of positive 0

reactions: Assessment: no

6. Accidental release measures

Further accidental release measures:

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing.

Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Nonsparking tools should be used.

7. Handling and Storage

Precautions for safe handling

Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Closed containers should only be opened in well-ventilated areas. Avoid dust formation. Do not use any sparking tools.

Protection against fire and explosion:

Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids (2013 Edition) for safe handling.

Dust explosion class: Dust explosion class 1 (Kst-value >0 up to 200 bar m s-1).

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Tinuvin® 329

Revision date: 2014/12/05 Page: 5/11 (30261630/SDS_GEN_US/EN) Version: 2.0

8. Exposure Controls/Personal Protection

Advice on system design:

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Observe OSHA regulations for respirator use (29 CFR 1910.134).

Hand protection:

Wear chemical resistant protective gloves.

Eye protection:

Safety glasses with side-shields.

Body protection:

Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form: powder Odour: odourless

Odour threshold:

Colour: yellowish to white

pH value: 5.6 (1 %(m), 20 - 25 °C) (as aqueous

solution)

No applicable information available.

Melting point: 103 - 105 °C

Boiling point:

not applicable Sublimation point: No applicable information available.

Flash point: 211 °C

Flammability: not flammable

Lower explosion limit:

No applicable information available. Upper explosion limit: No applicable information available.

420 °C Autoignition: (BAM)

Vapour pressure: 0.3 Pa (105 °C)

0.00001 Pa (25 °C) (OECD Guideline 104) No applicable information available.

Relative density:

Bulk density: 300 - 1,000

kg/m3

Vapour density: No applicable information available.

Partitioning coefficient n-> 6 (20 - 25 °C)

octanol/water (log Pow):

Tinuvin® 329

Revision date: 2014/12/05 Page: 6/11 (30261630/SDS GEN US/EN) Version: 2.0

Self-ignition > 350 °C

temperature:

Thermal decomposition: > 350 °C (VDI 2263, sheet 1, 1.4.1) > 500 °C (dynamic (Lütolf oven))

Viscosity, dynamic: not determined

Particle size: 140 µm (134001) Solubility in water: < 1 mg/l (20 °C)

Solubility (quantitative): No applicable information available.

Solubility (qualitative): No applicable information available.

Molar mass: 323.44 g/mol

Evaporation rate: The product is a non-volatile solid. If necessary, information on other physical and chemical Other Information:

parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

not determined

Dust explosion class:

Dust explosion class 1 (Kst-value >0 up to 200 bar m s-1) (St 1) Reactions with Reaction with: water

water/air:

Flammable gases: nο Toxic gases: no Corrosive gases: no Smoke or fog: no Peroxides: no

Reaction with: air Flammable gases: no Toxic gases: no Corrosive gases: no Smoke or fog: no Peroxides: no

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Dust explosion hazard.

Conditions to avoid

Avoid dust formation. Avoid deposition of dust. Avoid all sources of ignition: heat, sparks, open flame. Avoid electro-static charge.

Incompatible materials

Tinuvin® 329

Revision date: 2014/12/05 Page: 7/11 Version: 2.0 (30261630/SDS GEN US/EN)

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

> 350 °C (VDI 2263, sheet 1, 1.4.1)

> 500 °C (dynamic (Lütolf oven))

(Isoperibolic (Lütolf oven))

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Oral

Type of value: LD50

Species: rat

Value: > 10,000 mg/kg

Dermal

Type of value: LD50 Species: rabbit

Value: > 5,000 mg/kg

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

<u>Irritation / corrosion</u>

Assessment of irritating effects: Not irritating to eyes and skin.

<u>Skin</u>

Species: rabbit Result: non-irritant Method: Draize test

Eye

Species: rabbit Result: non-irritant

Tinuvin® 329

Revision date : 2014/12/05 Page: 8/11 Version: 2.0 (30261630/SDS_GEN_US/EN)

Method: Draize test

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Species: guinea pig Result: Non-sensitizing. Method: OECD Guideline 406

Aspiration Hazard not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Repeated oral uptake of the substance did not cause substance-related effects.

Experimental/calculated data: rat (Wistar) (male/female) oral feed 30 d 0, 1.25, 2.5, and 5 % NOAEL: 5,658 mg/kg

Genetic toxicity

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture.

Genetic toxicity in vitro: OECD Guideline 471 Ames-test negative

Ames-test S. typhimurium, E. coli:with and without metabolic activation negative

Carcinogenicity

Assessment of carcinogenicity: Based on the ingredients there is no suspicion of a carcinogenic effect in humans.

None of the components in this product at concentrations greater than 0.1% are listed by IARC; NTP, OSHA or ACGIH as a carcinogen.

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The results were determined in a Screening test (OECD 421/422). The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Teratogenicity

Assessment of teratogenicity: No teratogenic effects reported.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Tinuvin® 329

Revision date: 2014/12/05 Page: 9/11 Version: 2.0 (30261630/SDS_GEN_US/EN)

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish

LC50 (96 h) > 100 mg/l, Brachydanio rerio (OECD Guideline 203, static)

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. No toxic effects occur within the range of solubility.

Aquatic invertebrates

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The product has low solubility in the test medium. A saturated solution has been tested. Limit concentration test only (LIMIT test). No toxic effects occur within the range of solubility. Nominal concentration.

EC50 (24 h) 15 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. No toxic effects occur within the range of solubility.

Aquatic plants

EC50 (72 h) > 100 mg/l (biomass), Scenedesmus subspicatus (Directive 88/302/EEC, part C, p. 89, static)

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. No toxic effects occur within the range of solubility.

Soil living organisms

Toxicity to soil dwelling organisms:

No observed effect concentration (56 d) > 1,000 mg/kg, Eisenia foetida (OECD Guideline 222, artificial soil)

No effects at the highest test concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to terrestrial plants

No data available.

Other terrestrial non-mammals

No data available.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

OECD Guideline 209 aerobic

activated sludge/EC20 (3 h): > 100 mg/l

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants.

Elimination information

Tinuvin® 329

Revision date: 2014/12/05 Page: 10/11 (30261630/SDS GEN US/EN) Version: 2.0

1 % CO2 formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) (aerobic, activated sludge)

Bioaccumulative potential

Assessment bioaccumulation potential Accumulation in organisms is expected.

Mobility in soil

Assessment transport between environmental compartments Adsorption to solid soil phase is expected.

Additional information

Adsorbable organically-bound halogen (AOX):

This product contains no organically-bound halogen.

Other ecotoxicological advice:

Do not allow to enter soil, waterways or waste water channels. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

13. Disposal considerations

Waste disposal of substance:

Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with national, state and local regulations.

Container disposal:

Dispose of in accordance with national, state and local regulations. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

RCRA:

Not a hazardous waste under RCRA (40 CFR 261).

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Tinuvin® 329

Revision date: 2014/12/05 Page: 11/11 Version: 2.0 (30261630/SDS GEN US/EN)

Registration status:

Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Fire (Combustible Dust);

NFPA Hazard codes:

Health: 1 Fire: 2 Reactivity: 0 Special:

HMIS III rating

Health: 1 Flammability: 2 Physical hazard:0

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2014/12/05

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Tinuvin® 329 is a registered trademark of BASF Corporation or BASF SE IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**